PHILIPS

Lighting



Get your city ready for the future with DigiStreet

DigiStreet

Developed with the aim to become your long term partner ,. the system ready architecture of DigiStreet enables you to enjoy the benefits of connected lighting systems today and also gets the city ready for the innovations to come!. Its two sockets enable you to connect directly to the Philips CityTouch system and is also prepared to connect you to the future innovations of IoT. Next to this, each individual luminaire is uniquely identifiable, thanks to the Philips Service tag application. With a simple scan of a QR code, placed on the inside of the mast door, you gain instant access to the luminaire configuration, making maintenance and programming operations faster and easier, no matter what stage of the luminaire's lifetime. Digistreet is also equipped with dedicated light recipes that: 1) maintain an optimal ecosystems for bats or 2) preserve a dark night sky.

Benefits

- Prepared for the future, it is easy to upgrade directly after installation or later with future CMS nodes and sensors to enable new functionalities
- Large availabilty of lense optics to match international road and street geometries
- Equipped with Service tag, a QR-based identification system that makes each luminaire uniquely identifiable and provides maintenance, installation and spare part information

Features

- Easy luminaire identification due to the Philips Service tag
- High efficacy up to 161 lm/W
- Choice of 30+ different beams and different internal louvers
- Surge protection, 10 kV
- L-tune tool available
- Lifetime 100Khrs up to L96 at Tq +25 ºC
- Internal louver (optional)

Application

- Traffic routes and main access road
- Urban and residential area
- City centers and main streets
- Cycle paths, footpaths and pedestrian crossings

Specifications

Type	BGP760 (Micro version)
	BGP761 (Mini version)
	BGP762 (medium version)
	BGP763 (large version)
Light source	Integral LED-module
Power	Micro version: WW: 5.6 up to 39.5W, NW/CW: 6 up to 39W
	Mini version:WW: 34 up to 72W, NW/CW: 27.5 up to 74 W
	Medium version: WW: 69 up to 152 W, NW/CW: 55 up to 146 W
	Large version: WW: 178 up to 230 W, NW/CW: 144 up to 220 W
Luminous flux system	Micro version: WW from 550 to 4500 lm, NW/CW 700-5500 lm
	Mini version: WW from 4000 to 8500 lm, NW/CW 4000-11800 lm
	Medium: WW from 8500 to 18000 lm, NW/CW 8500-21600 lm
	Large: WW from 20600 to 26400 lm, NW/CW 20900-32000 lm
	Or tailor flux using L-Tune software
Luminaire efficacy	Micro version: NW/CW up to 147 lm/W, WW up to 118 lm/W
	Mini version: NW/CW up to 154 lm/W, WW up to 125 lm/W
	Medium: NW/CW up to 161 lm/W, WW up to 128 lm/W
	Large: NW/CW up to 150 lm/W, WW up to 121 lm/W
Correlated Color Temperature	Warm white (WW): 3000 K
	Neutral white (NW): 4000 K
	Cool white (CW): 5700 K
Color Rendering Index	NW and CW: 70
	WW: 80
Lumen maintenance at median useful life* 100000 h	BGP760: up to L96
	BGP761: up to L95
	BGP762: up to L94
	BGP763: up to L92
Control gear failure rate at median useful life 100000 h	10%
Performance Ambient Temperature Tq	+25 ºC
Operating temperature range	-40 to +35 ºC
Driver	Built-in (self-ballasted LED-module)
Mains voltage	220-240 V / 50-60 Hz
Inrush current	22W: 15A/ 360 µs (max 23 drivers on CB 16A B type), SR 22W: 18A/ 320µs (max 21 drivers on CB 16A B type)
	40W: 22 A/ 290 µs (max 20 drivers on CB 16A B type), SR 40W: 21A/ 300 µs (max 21 drivers on CB 16A B type)
	75W: 46A/ 250 µs (max 11 drivers on CB 16A B type), SR 75W: 65A/ 330 µs (max 6 drivers on CB 16A B type)
	150W: 53A/ 300 µs (max 8 drivers on CB 16A B type), SR 150W: 65A/ 330 µs (max 6 drivers on CB 16A B type)
	2x 150 W: 106A/ 300 µs (max 4 drivers on CB 16A B type), SR 150 W: 130A/ 330 µs (max 3 drivers on CB 16A B type)
Dimming	Stand alone DynaDimmer
	DALI
Options	Wired for SR (System Ready), mini Photocell or NEMA socket
Optic	Narrow, medium, wide or extra wide road optics: DM10, DM11, DM12, DM13, DM30, DM31, DM32, DM33, DM50, DM70, DPR1, DPL1, DS50, DW10, DW50, DX10, DX50, DX51, DX70, DN09, DN10, DN11, DN50, DRM1, DRM2, DRN1, DRN2,
Optical element	Louvers (BL1, BL2)
Optical cover	Tempered glass
Material	High-pressure, die-cast LM6 aluminum
Colour	RAL 7022 for Philips Dark grey
	Other RAL or AKZO colors available on request
Connection	M20 cable gland with strain relief, for cable Ø 6-12 mm
Maintenance	Canopy to access the gear tray hinges upwards and is secured by a stainless steel locking bar
	The Philips Service tag will help to identify the product and share all product information on the spot

Installation	Post top: 48-62 or 76 mm
	Side entry: 32-48 mm, 48-62 mm
	Recommended mounting height:
	Micro version: 4 to 6 m
	Mini version: 5 to 8 m
	Medium version: 6 to 12 m
	Large version: 10 to 18 m
	Standard tilt angle post top: 0º
	Adjustable tilt angle: -20°, -15°, -10°, -5°, 0°, +5°, +10°, +15°, +20°
	Adjustable light distribution: no
	Max SCx
	Micro version: 0.0450 m²
	Mini version: 0.0589 m²
	Medium version: 0.0562 m²
	Large version: 0.0562 m²
SR compatibility	For SR based luminaires only SR Certified components/sensors are to be used (see also: http://www.lighting.philips.co.uk/oem-emea/products/driving-connected-lighting?.
	Functional compatibility of 2 (SR certified) components/sensors to be used in combination as well as override possibility of any lineswitch function used in a SR based luminaire, is to be released by the master component/sensor supplier. For the use of NEMA 7pin socket on a SR based luminaire a full system verification is required. Not following these advises can/will cause risk of damage and non-compliance for which Signify cannot take any responsibility.

Versions

DigiStreet Micro BGP760 road-lighting luminaire



DigiStreet Mini - LED Module 4500 lm - 518 ClearStar WW - Safety class II - Distribution medium 11 - Dark gray - Luminaire surge protection level until 6 kV differential mode and 8 kV common mode - Spigot for diameter 62 mm



Digistreet-BGP762-DP03-SPP



DigiStreet Large - LED module 24000 lm - 420 ClearStar NW - Safety class II - Distribution medium 11 - Dark gray - Luminaire surge protection level until 10 kV differential mode and 10 kV common mode - Spigot for diameter 62 mm



Product details

Digistreet-BGP760-DP06.tif



Digistreet-BGP760-DP09.tif



Product details

Digistreet-BGP760-DP10.tif



Digistreet-BGP760-DP11.tif



Digistreet-BGP761-DP17.tif



Digistreet-BGP761-DP18.tif



Digistreet-BGP761-DP19.tif



Digistreet-BGP761-DP20.tif



Digistreet-BGP761-DP21.tif



Digistreet-BGP761-DP22.tif



Product details



Digistreet-BGP761-DP23.tif



Digistreet-BGP761-DP24.tif



Digistreet-BGP761-DP25.tif



Digistreet-BGP761-DP26.tif

Approval and application	
Mech. impact protection code	IK09
Controls and dimming	
Dimmable	Yes
General information	
CE mark	CE mark
Optical cover/lens type	Flat glass
Driver included	Yes
Flammability mark	-
Light source replaceable	Yes
Light technical	
Standard tilt angle side entry	0°
Standard tilt angle posttop	0°
Upward light output ratio	0

Application conditions

Order Code	Full Product Name	Maximum dim level
910925863554	BGP760 LED10-/740 I DM10 DGR 32-48	Not applicable
910925863555	BGP760 LED12-/830 II DM11 DGR D9 62	Not applicable
910925863556	BGP760 LED14-/740 I DN10 DGR 32-48	Not applicable
910925863557	BGP760 LED16-/830 II DN11 DGR D11 62	Not applicable
910925863560	BGP760 LED22-/740 I DM50 DGR 32-48	Not applicable
910925863561	BGP760 LED24-/830 II DM70 DGR DDF27 D18	50%
910925863562	BGP760 LED27-/740 I DS50 DGR 32-48	Not applicable
910925863563	BGP760 LED30-/830 II DW10 DGR 62	Not applicable
910925863564	BGP760 LED34-/740 I DX10 DGR 32-48	Not applicable
910925863566	BGP760 LED44-/740 I DW50 DGR 32-48	Not applicable
910925863567	BGP760 LED49-/740 II DX70 DGR 62	Not applicable
910925864083	BGP760 LED24-/740 I DM10 DGR DDF27 D18 S	50%
910925864084	BGP760 LED44-/740 I DM10 DGR DDF27 D18 S	50%
910925866306	BGP760 LED16-/518 II DM11 DGR 62 S	Not applicable
910925866307	BGP760 LED16-/420 II DM11 DGR 62 S	Not applicable
910925866495	BGP760 LED60-/740 I DM10 DGR 62 S	Not applicable
910925867978	BGP760 LED60/740 I DX10 DGR CLO IACZ-4-D	0% (digital)
910925867979	BGP760 LED60/740 I DW50 BL1 DGR CLO IACZ	0% (digital)
910925867987	BGP760 LED49/740 II DM32 7042 MSP CLO-DD	50%
910925865604	BGP761 LED45-4S/518 II DM11 DGR 62	Not applicable
910925865605	BGP761 LED45-4S/420 II DM11 DGR 62	Not applicable
910925866230	BGP761 LED45-/740 I DM10 DGR 32-48	Not applicable
910925866231	BGP761 LED74-/740 I DM50 DGR 32-48	Not applicable
910925866232	BGP761 LED94-/740 I DX10 DGR 32-48	Not applicable
910925866233	BGP761 LED109-/740 I DM10 DGR DDF27 D18	50%

Order Code	Full Product Name	Maximum dim level
910925866234	BGP761 LED55-/740 I DN10 DGR 32-48	Not applicable
910925866235	BGP761 LED84-/740 I DS50 DGR 32-48	Not applicable
910925866236	BGP761 LED55-/740 I DM11 DGR SRB 62	Not applicable
910925866237	BGP761 LED84-/740 I DM10 DGR DDF27 D18 S	50%
910925866238	BGP761 LED50-/830 II DM11 DGR D9 62	Not applicable
910925866239	BGP761 LED79-/830 II DM70 DGR DDF27 D18	50%
910925866240	BGP761 LED59-/830 II DN11 DGR D11 62	Not applicable
910925866241	BGP761 LED90-/740 II DW10 DGR 62	Not applicable
910925866242	BGP761 LED74-/740 I DM50 DGR SRB 62	Not applicable
910925866496	BGP761 LED84/740 I DM10 DGR 62 S	Not applicable
910925866497	BGP761 LED119/740 I DM10 DGR 62 S	Not applicable
910925867981	BGP761 LED119/740 I DW50 BL1 DGR CLO IAC	0% (digital)
910925867988	BGP761 LED84/740 II DM32 7042 MSP CLO-DD	50%
910925865607	BGP762 LED95-4S/518 II DM11 DGR 62	Not applicable
910925865608	BGP762 LED95-4S/420 II DM11 DGR 62	Not applicable
910925866220	BGP762 LED120-/830 II DN11 DGR D11 76	Not applicable
910925866221	BGP762 LED159-/830 II DM70 DGR DDF27 D18	50%
910925866222	BGP762 LED129-/740 I DM11 DGR 32-48	Not applicable
910925866223	BGP762 LED169-/740 I DS50 DGR 62	Not applicable
910925866224	BGP762 LED110-/740 I DN10 DGR 32-48	Not applicable
910925866225	BGP762 LED149-/740 I DM50 DGR 32-48	Not applicable
910925866226	BGP762 LED180-/740 I DX10 DGR 32-48	Not applicable
910925866227	BGP762 LED100-/830 II DM11 DGR D9 62	Not applicable
910925866228	BGP762 LED139-/830 II DM11 DGR D9 62	Not applicable
910925866229	BGP762 LED170-/830 II DW10 DGR 76	Not applicable
910925866243	BGP762 LW10 LED95-/740 I DM10 DGR SRB 32	0% (digital)
910925866244	BGP762 LED169-/740 I DS50 DGR SRB 62	Not applicable
910925866245	BGP762 LED200-/740 I DW50 DGR 62	Not applicable
910925866246	BGP762 LED210-/740 II DX70 DGR 76	Not applicable
910925866247	BGP762 LED190-/740 II DW10 DGR SRG10 62	Not applicable
910925866252	BGP762 LED220-/740 II DW10 DGR SRG10 62	Not applicable
910925866492	BGP762 LED120/740 I DM10 DGR 62 S	Not applicable
910925866493	BGP762 LED159/740 I DM10 DGR 62 S	Not applicable
910925866963	BGP762 LED239/740 II DM32 7042 MSP CLO-D	0% (digital)
910925867851	BGP762 LED220/740 I DW50 DGR D9 62 S	Not applicable
910925867982	BGP762 LED239/740 I DX10 DGR CLO IACZ-4-	0% (digital)
910925867983	BGP762 LED239/740 I DW50 BL1 DGR CLO IAC	0% (digital)
910925867989	BGP762 LED149/740 II DM32 7042 MSP CLO-D	50%
910925867990	BGP762 LED239/740 II DM32 7042 MSP CLO-D	0% (digital)
910925865611	BGP763 LED240-4S/420 II DM11 DGR 62	Not applicable
910925866248	BGP763 LED240-/830 II DW10 DGR SRG10 62	Not applicable
910925866249	BGP763 LED300-/740 I DW50 DGR 62	Not applicable
910925866250	BGP763 LED260-/740 I DX10 DGR 32-48	Not applicable
910925866251	BGP763 LED340-/740 II DW10 DGR SRG10 62	Not applicable
910925866253	BGP763 LED320-/740 II DX70 DGR 76	Not applicable
910925866494	BGP763 LED260/740 I DM10 DGR 62 S	Not applicable
910925866498	BGP763 LED360/740 I DM10 DGR 62 S	Not applicable
910925867852	BGP763 LED340/740 I DW50 DGR D9 62 S	Not applicable
910925867984	BGP763 LED360/740 I DX10 DGR CLO IACZ-4-	0% (digital)
910925867985	BGP763 LED360/740 I DW50 BL1 DGR IACZ-4-	0% (digital)

Approval and application

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925863554	BGP760 LED10-/740 I DM10 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863555	BGP760 LED12-/830 II DM11 DGR D9 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863556	BGP760 LED14-/740 I DN10 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863557	BGP760 LED16-/830 II DN11 DGR D11 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863560	BGP760 LED22-/740 I DM50 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863561	BGP760 LED24-/830 II DM70 DGR DDF27 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863562	BGP760 LED27-/740 I DS50 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863563	BGP760 LED30-/830 II DW10 DGR 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863564	BGP760 LED34-/740 I DX10 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863566	BGP760 LED44-/740 I DW50 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925863567	BGP760 LED49-/740 II DX70 DGR 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925864083	BGP760 LED24-/740 I DM10 DGR DDF27 D18 S	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925864084	BGP760 LED44-/740 I DM10 DGR DDF27 D18 S	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866306	BGP760 LED16-/518 II DM11 DGR 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866307	BGP760 LED16-/420 II DM11 DGR 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866495	BGP760 LED60-/740 I DM10 DGR 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867978	BGP760 LED60/740 I DX10 DGR CLO IACZ-4-D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867979	BGP760 LED60/740 I DW50 BL1 DGR CLO IACZ	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867987	BGP760 LED49/740 II DM32 7042 MSP CLO-DD	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865604	BGP761 LED45-4S/518 II DM11 DGR 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865605	BGP761 LED45-4S/420 II DM11 DGR 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866230	BGP761 LED45-/740 I DM10 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866231	BGP761 LED74-/740 I DM50 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866232	BGP761 LED94-/740 I DX10 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866233	BGP761 LED109-/740 I DM10 DGR DDF27 D18	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866234	BGP761 LED55-/740 I DN10 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866235	BGP761 LED84-/740 I DS50 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866236	BGP761 LED55-/740 I DM11 DGR SRB 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866237	BGP761 LED84-/740 I DM10 DGR DDF27 D18 S	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866238	BGP761 LED50-/830 II DM11 DGR D9 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866239	BGP761 LED79-/830 II DM70 DGR DDF27 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866240	BGP761 LED59-/830 II DN11 DGR D11 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866241	BGP761 LED90-/740 II DW10 DGR 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866242	BGP761 LED74-/740 I DM50 DGR SRB 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925866496	BGP761 LED84/740 I DM10 DGR 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866497	BGP761 LED119/740 I DM10 DGR 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867981	BGP761 LED119/740 I DW50 BL1 DGR CLO IAC	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867988	BGP761 LED84/740 II DM32 7042 MSP CLO-DD	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865607	BGP762 LED95-4S/518 II DM11 DGR 62	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925865608	BGP762 LED95-4S/420 II DM11 DGR 62	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866220	BGP762 LED120-/830 II DN11 DGR D11 76	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866221	BGP762 LED159-/830 II DM70 DGR DDF27 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866222	BGP762 LED129-/740 I DM11 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866223	BGP762 LED169-/740 I DS50 DGR 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866224	BGP762 LED110-/740 I DN10 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866225	BGP762 LED149-/740 I DM50 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866226	BGP762 LED180-/740 I DX10 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866227	BGP762 LED100-/830 II DM11 DGR D9 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866228	BGP762 LED139-/830 II DM11 DGR D9 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866229	BGP762 LED170-/830 II DW10 DGR 76	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866243	BGP762 LW10 LED95-/740 I DM10 DGR SRB 32	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866244	BGP762 LED169-/740 I DS50 DGR SRB 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866245	BGP762 LED200-/740 I DW50 DGR 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866246	BGP762 LED210-/740 II DX70 DGR 76	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866247	BGP762 LED190-/740 II DW10 DGR SRG10 62	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866252	BGP762 LED220-/740 II DW10 DGR SRG10 62	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866492	BGP762 LED120/740 I DM10 DGR 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866493	BGP762 LED159/740 I DM10 DGR 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866963	BGP762 LED239/740 II DM32 7042 MSP CLO-D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867851	BGP762 LED220/740 I DW50 DGR D9 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867982	BGP762 LED239/740 I DX10 DGR CLO IACZ-4-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867983	BGP762 LED239/740 I DW50 BL1 DGR CLO IAC	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867989	BGP762 LED149/740 II DM32 7042 MSP CLO-D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867990	BGP762 LED239/740 II DM32 7042 MSP CLO-D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925865611	BGP763 LED240-4S/420 II DM11 DGR 62	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866248	BGP763 LED240-/830 II DW10 DGR SRG10 62	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866249	BGP763 LED300-/740 I DW50 DGR 62	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866250	BGP763 LED260-/740 I DX10 DGR 32-48	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925866251	BGP763 LED340-/740 II DW10 DGR SRG10 62	Luminaire surge protection level until 10 kV differential mode and 10 kV common mode
910925866253	BGP763 LED320-/740 II DX70 DGR 76	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866494	BGP763 LED260/740 I DM10 DGR 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925866498	BGP763 LED360/740 I DM10 DGR 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
910925867852	BGP763 LED340/740 I DW50 DGR D9 62 S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867984	BGP763 LED360/740 I DX10 DGR CLO IACZ-4-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
910925867985	BGP763 LED360/740 I DW50 BL1 DGR IACZ-4-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Operating and electrical

Order Code	Full Product Name	Driver current
910925863554	BGP760 LED10-/740 I DM10 DGR 32-48	209 mA
910925863555	BGP760 LED12-/830 II DM11 DGR D9 62	326 mA
910925863556	BGP760 LED14-/740 I DN10 DGR 32-48	298 mA
910925863557	BGP760 LED16-/830 II DN11 DGR D11 62	447 mA
910925863560	BGP760 LED22-/740 I DM50 DGR 32-48	489 mA
910925863561	BGP760 LED24-/830 II DM70 DGR DDF27 D18	326 mA
910925863562	BGP760 LED27-/740 I DS50 DGR 32-48	287 mA
910925863563	BGP760 LED30-/830 II DW10 DGR 62	416 mA
910925863564	BGP760 LED34-/740 I DX10 DGR 32-48	368 mA
910925863566	BGP760 LED44-/740 I DW50 DGR 32-48	489 mA
910925863567	BGP760 LED49-/740 II DX70 DGR 62	553 mA
910925864083	BGP760 LED24-/740 I DM10 DGR DDF27 D18 S	-
910925864084	BGP760 LED44-/740 I DM10 DGR DDF27 D18 S	-
910925866306	BGP760 LED16-/518 II DM11 DGR 62 S	-
910925866307	BGP760 LED16-/420 II DM11 DGR 62 S	-
910925866495	BGP760 LED60-/740 I DM10 DGR 62 S	-
910925867978	BGP760 LED60/740 I DX10 DGR CLO IACZ-4-D	-
910925867979	BGP760 LED60/740 I DW50 BL1 DGR CLO IACZ	-
910925867987	BGP760 LED49/740 II DM32 7042 MSP CLO-DD	-
910925865604	BGP761 LED45-4S/518 II DM11 DGR 62	-
910925865605	BGP761 LED45-4S/420 II DM11 DGR 62	-
910925866230	BGP761 LED45-/740 I DM10 DGR 32-48	-
910925866231	BGP761 LED74-/740 I DM50 DGR 32-48	-
910925866232	BGP761 LED94-/740 I DX10 DGR 32-48	-
910925866233	BGP761 LED109-/740 I DM10 DGR DDF27 D18	-
910925866234	BGP761 LED55-/740 I DN10 DGR 32-48	-
910925866235	BGP761 LED84-/740 I DS50 DGR 32-48	-
910925866236	BGP761 LED55-/740 I DM11 DGR SRB 62	-
910925866237	BGP761 LED84-/740 I DM10 DGR DDF27 D18 S	-
910925866238	BGP761 LED50-/830 II DM11 DGR D9 62	-
910925866239	BGP761 LED79-/830 II DM70 DGR DDF27 D18	-
910925866240	BGP761 LED59-/830 II DN11 DGR D11 62	-
910925866241	BGP761 LED90-/740 II DW10 DGR 62	-
910925866242	BGP761 LED74-/740 I DM50 DGR SRB 62	-
910925866496	BGP761 LED84/740 I DM10 DGR 62 S	-
910925866497	BGP761 LED119/740 I DM10 DGR 62 S	-

Order Code	Full Product Name	Driver current
910925867981	BGP761 LED119/740 I DW50 BL1 DGR CLO IAC	-
910925867988	BGP761 LED84/740 II DM32 7042 MSP CLO-DD	-
910925865607	BGP762 LED95-4S/518 II DM11 DGR 62	-
910925865608	BGP762 LED95-4S/420 II DM11 DGR 62	-
910925866220	BGP762 LED120-/830 II DN11 DGR D11 76	-
910925866221	BGP762 LED159-/830 II DM70 DGR DDF27 D18	-
910925866222	BGP762 LED129-/740 I DM11 DGR 32-48	-
910925866223	BGP762 LED169-/740 I DS50 DGR 62	-
910925866224	BGP762 LED110-/740 I DN10 DGR 32-48	-
910925866225	BGP762 LED149-/740 I DM50 DGR 32-48	-
910925866226	BGP762 LED180-/740 I DX10 DGR 32-48	-
910925866227	BGP762 LED100-/830 II DM11 DGR D9 62	-
910925866228	BGP762 LED139-/830 II DM11 DGR D9 62	-
910925866229	BGP762 LED170-/830 II DW10 DGR 76	-
910925866243	BGP762 LW10 LED95-/740 I DM10 DGR SRB 32	-
910925866244	BGP762 LED169-/740 I DS50 DGR SRB 62	-
910925866245	BGP762 LED200-/740 I DW50 DGR 62	-
910925866246	BGP762 LED210-/740 II DX70 DGR 76	-
910925866247	BGP762 LED190-/740 II DW10 DGR SRG10 62	-
910925866252	BGP762 LED220-/740 II DW10 DGR SRG10 62	-
910925866492	BGP762 LED120/740 I DM10 DGR 62 S	-
910925866493	BGP762 LED159/740 I DM10 DGR 62 S	-
910925866963	BGP762 LED239/740 II DM32 7042 MSP CLO-D	-
910925867851	BGP762 LED220/740 I DW50 DGR D9 62 S	-
910925867982	BGP762 LED239/740 I DX10 DGR CLO IACZ-4-	-
910925867983	BGP762 LED239/740 I DW50 BL1 DGR CLO IAC	-
910925867989	BGP762 LED149/740 II DM32 7042 MSP CLO-D	-
910925867990	BGP762 LED239/740 II DM32 7042 MSP CLO-D	-
910925865611	BGP763 LED240-4S/420 II DM11 DGR 62	-
910925866248	BGP763 LED240-/830 II DW10 DGR SRG10 62	-
910925866249	BGP763 LED300-/740 I DW50 DGR 62	-
910925866250	BGP763 LED260-/740 I DX10 DGR 32-48	-
910925866251	BGP763 LED340-/740 II DW10 DGR SRG10 62	-
910925866253	BGP763 LED320-/740 II DX70 DGR 76	-
910925866494	BGP763 LED260/740 I DM10 DGR 62 S	-
910925866498	BGP763 LED360/740 I DM10 DGR 62 S	-

Order Code	Full Product Name	Driver current
910925867852	BGP763 LED340/740 I DW50 DGR D9 62 S	-
910925867984	BGP763 LED360/740 I DX10 DGR CLO IACZ-4-	-

Order Code	Full Product Name	Driver current
910925867985	BGP763 LED360/740 I DW50 BL1 DGR IACZ-4-	-

General information (1/2)

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Gear	Glow-wire test
910925863554	BGP760 LED10-/740 I DM10 DGR 32-48	157° - 33° x 55°	740 neutral white	EB	Temperature 650 °C, duration 5 s
910925863555	BGP760 LED12-/830 II DM11 DGR D9 62	160° - 42° x 54°	830 warm white	EB	Temperature 650 °C, duration 5 s
910925863556	BGP760 LED14-/740 I DN10 DGR 32-48	68° x 157°	740 neutral white	EB	Temperature 650 °C, duration 5 s
910925863557	BGP760 LED16-/830 II DN11 DGR D11 62	53° x 71°	830 warm white	EB	Temperature 650 °C, duration 5 s
910925863560	BGP760 LED22-/740 I DM50 DGR 32-48	154° - 31° x 54°	740 neutral white	EB	Temperature 650 °C, duration 5 s
910925863561	BGP760 LED24-/830 II DM70 DGR DDF27 D18	-	830 warm white	EB	Temperature 650 °C, duration 5 s
910925863562	BGP760 LED27-/740 I DS50 DGR 32-48	32° x 29°	740 neutral white	EB	Temperature 650 °C, duration 5 s
910925863563	BGP760 LED30-/830 II DW10 DGR 62	61° x 150°	830 warm white	EB	Temperature 650 °C, duration 5 s
910925863564	BGP760 LED34-/740 I DX10 DGR 32-48	150° - 43° x 67°	740 neutral white	EB	Temperature 650 °C, duration 5 s
910925863566	BGP760 LED44-/740 I DW50 DGR 32-48	152° - 24° x 66°	740 neutral white	EB	Temperature 650 °C, duration 5 s
910925863567	BGP760 LED49-/740 II DX70 DGR 62	106° x 44°	740 neutral white	EB	Temperature 650 °C, duration 5 s
910925864083	BGP760 LED24-/740 I DM10 DGR DDF27 D18 S	157° - 33° x 55°	740 neutral white	-	-
910925864084	BGP760 LED44-/740 I DM10 DGR DDF27 D18 S	157° - 33° x 55°	740 neutral white	-	-
910925866306	BGP760 LED16-/518 II DM11 DGR 62 S	160° - 42° x 53°	518 ClearStar WW	-	-
910925866307	BGP760 LED16-/420 II DM11 DGR 62 S	160° - 42° x 53°	420 ClearStar NW	-	-
910925866495	BGP760 LED60-/740 I DM10 DGR 62 S	157° - 33° x 55°	740 neutral white	-	-
910925867978	BGP760 LED60/740 I DX10 DGR CLO IACZ-4-D	151° - 43° x 67°	740 neutral white	-	-
910925867979	BGP760 LED60/740 I DW50 BL1 DGR CLO IACZ	152° - 25° × 66°	740 neutral white	-	-
910925867987	BGP760 LED49/740 II DM32 7042 MSP CLO-DD	149° - 10° x 57°	740 neutral white	-	-
910925865604	BGP761 LED45-4S/518 II DM11 DGR 62	160° - 42° x 53°	518 ClearStar WW	-	-
910925865605	BGP761 LED45-4S/420 II DM11 DGR 62	160° - 42° x 53°	420 ClearStar NW	-	-
910925866230	BGP761 LED45-/740 I DM10 DGR 32-48	157° - 33° x 55°	740 neutral white	-	-
910925866231	BGP761 LED74-/740 I DM50 DGR 32-48	154° - 31° x 54°	740 neutral white	-	-
910925866232	BGP761 LED94-/740 I DX10 DGR 32-48	150° - 43° x 67°	740 neutral white	-	-
910925866233	BGP761 LED109-/740 I DM10 DGR DDF27 D18	157° - 33° x 55°	740 neutral white	-	-
910925866234	BGP761 LED55-/740 I DN10 DGR 32-48	68° x 157°	740 neutral white	-	-
910925866235	BGP761 LED84-/740 I DS50 DGR 32-48	32° x 29°	740 neutral white	-	-
910925866236	BGP761 LED55-/740 I DM11 DGR SRB 62	160° - 42° x 54°	740 neutral white	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Gear	Glow-wire test
910925866237	BGP761 LED84-/740 I DM10 DGR DDF27 D18 S	157° - 33° x 55°	740 neutral white	-	-
910925866238	BGP761 LED50-/830 II DM11 DGR D9 62	160° - 42° x 54°	830 warm white	-	-
910925866239	BGP761 LED79-/830 II DM70 DGR DDF27 D18	-	830 warm white	-	-
910925866240	BGP761 LED59-/830 II DN11 DGR D11 62	53° x 71°	830 warm white	-	-
910925866241	BGP761 LED90-/740 II DW10 DGR 62	61° x 150°	740 neutral white	-	-
910925866242	BGP761 LED74-/740 I DM50 DGR SRB 62	154° - 31° x 54°	740 neutral white	-	-
910925866496	BGP761 LED84/740 I DM10 DGR 62 S	157° - 33° x 55°	740 neutral white	-	-
910925866497	BGP761 LED119/740 I DM10 DGR 62 S	157° - 33° x 55°	740 neutral white	-	-
910925867981	BGP761 LED119/740 I DW50 BL1 DGR CLO IAC	152° - 25° x 66°	740 neutral white	-	-
910925867988	BGP761 LED84/740 II DM32 7042 MSP CLO-DD	149° - 10° x 57°	740 neutral white	-	-
910925865607	BGP762 LED95-4S/518 II DM11 DGR 62	160° - 42° x 53°	518 ClearStar WW	-	-
910925865608	BGP762 LED95-4S/420 II DM11 DGR 62	160° - 42° x 53°	420 ClearStar NW	-	-
910925866220	BGP762 LED120-/830 II DN11 DGR D11 76	53° x 71°	830 warm white	-	-
910925866221	BGP762 LED159-/830 II DM70 DGR DDF27 D18	-	830 warm white	-	-
910925866222	BGP762 LED129-/740 I DM11 DGR 32-48	160° - 42° x 54°	740 neutral white	-	-
910925866223	BGP762 LED169-/740 I DS50 DGR 62	32° x 29°	740 neutral white	-	-
910925866224	BGP762 LED110-/740 I DN10 DGR 32-48	68° x 158°	740 neutral white	-	-
910925866225	BGP762 LED149-/740 I DM50 DGR 32-48	154° - 31° x 54°	740 neutral white	-	-
910925866226	BGP762 LED180-/740 I DX10 DGR 32-48	150° - 43° x 67°	740 neutral white	-	-
910925866227	BGP762 LED100-/830 II DM11 DGR D9 62	160° - 42° x 54°	830 warm white	-	-
910925866228	BGP762 LED139-/830 II DM11 DGR D9 62	160° - 42° x 54°	830 warm white	-	-
910925866229	BGP762 LED170-/830 II DW10 DGR 76	61° x 150°	830 warm white	-	-
910925866243	BGP762 LW10 LED95-/740 I DM10 DGR SRB 32	157° - 33° x 55°	740 neutral white	-	-
910925866244	BGP762 LED169-/740 I DS50 DGR SRB 62	30°	740 neutral white	-	-
910925866245	BGP762 LED200-/740 I DW50 DGR 62	152° - 24° x 66°	740 neutral white	-	-
910925866246	BGP762 LED210-/740 II DX70 DGR 76	106° x 86°	740 neutral white	-	-
910925866247	BGP762 LED190-/740 II DW10 DGR SRG10 62	61° x 150°	740 neutral white	-	-
910925866252	BGP762 LED220-/740 II DW10 DGR SRG10 62	61° x 150°	740 neutral white	-	-
910925866492	BGP762 LED120/740 I DM10 DGR 62 S	157° - 33° x 55°	740 neutral white	-	-
910925866493	BGP762 LED159/740 I DM10 DGR 62 S	157° - 33° x 55°	740 neutral white	-	-
910925866963	BGP762 LED239/740 II DM32 7042 MSP CLO-D	149° - 10° x 57°	740 neutral white	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Gear	Glow-wire test
910925867851	BGP762 LED220/740 I DW50 DGR D9 62 S	152° - 25° × 66°	740 neutral white	-	-
910925867982	BGP762 LED239/740 I DX10 DGR CLO IACZ-4-	151° - 43° x 67°	740 neutral white	-	-
910925867983	BGP762 LED239/740 I DW50 BL1 DGR CLO IAC	152° - 25° × 66°	740 neutral white	-	-
910925867989	BGP762 LED149/740 II DM32 7042 MSP CLO-D	149° - 10° x 57°	740 neutral white	-	-
910925867990	BGP762 LED239/740 II DM32 7042 MSP CLO-D	149° - 10° x 57°	740 neutral white	-	-
910925865611	BGP763 LED240-4S/420 II DM11 DGR 62	160° - 42° x 53°	420 ClearStar NW	-	-
910925866248	BGP763 LED240-/830 II DW10 DGR SRG10 62	61° x 150°	830 warm white	-	-
910925866249	BGP763 LED300-/740 I DW50 DGR 62	152° - 24° x 66°	740 neutral white	-	-
910925866250	BGP763 LED260-/740 I DX10 DGR 32-48	150° - 43° x 67°	740 neutral white	-	-
910925866251	BGP763 LED340-/740 II DW10 DGR SRG10 62	61° x 150°	740 neutral white	-	-
910925866253	BGP763 LED320-/740 II DX70 DGR 76	106° x 44°	740 neutral white	-	-
910925866494	BGP763 LED260/740 I DM10 DGR 62 S	157° - 33° x 55°	740 neutral white	-	-
910925866498	BGP763 LED360/740 I DM10 DGR 62 S	157° - 33° x 55°	740 neutral white	-	-
910925867852	BGP763 LED340/740 I DW50 DGR D9 62 S	152° - 25° × 66°	740 neutral white	-	-
910925867984	BGP763 LED360/740 I DX10 DGR CLO IACZ-4-	151° - 43° x 67°	740 neutral white	-	-
910925867985	BGP763 LED360/740 I DW50 BL1 DGR IACZ-4-	152° - 25° × 66°	740 neutral white	-	-

General information (2/2)

Order Code	Full Product Name	Lamp family code	Number of gear units	Number of light sources	Optic type	Optical element	Product Family Code	Service tag	UL mark
910925863554	BGP760 LED10-/740 I DM10 DGR 32-48	LED10	1 unit	1 pc	Distribution medium 10	-	BGP760	-	-
910925863555	BGP760 LED12-/830 II DM11 DGR D9 62	LED12	1 unit	1 pc	Distribution medium 11	Diffuser element	BGP760	-	-
910925863556	BGP760 LED14-/740 I DN10 DGR 32-48	LED14	1 unit	1 pc	Distribution narrow 10	Vertical diffuser element	BGP760	-	-
910925863557	BGP760 LED16-/830 II DN11 DGR D11 62	LED16	1 unit	1 pc	Distribution narrow 11	Vertical diffuser element	BGP760	-	-
910925863560	BGP760 LED22-/740 I DM50 DGR 32-48	LED22	1 unit	1 pc	Distribution medium 50	Diffuser element	BGP760	-	-
910925863561	BGP760 LED24-/830 II DM70 DGR DDF27 D18	LED24	1 unit	1 pc	Distribution medium 70	-	BGP760	-	-
910925863562	BGP760 LED27-/740 I DS50 DGR 32-48	LED27	1 unit	1 pc	Distribution symmetrical 50	-	BGP760	-	-
910925863563	BGP760 LED30-/830 II DW10 DGR 62	LED30	1 unit	1 pc	Distribution wide 10	-	BGP760	-	-

Order Code	Full Product Name	Lamp family code	Number of gear units	Number of light sources	Optic type	Optical element	Product Family Code	Service tag	UL mark
910925863564	BGP760 LED34-/740 I DX10 DGR 32-48	LED34	1 unit	1 pc	Distribution extra wide 10	Prismatic circle effect element	BGP760	-	-
910925863566	BGP760 LED44-/740 I DW50 DGR 32-48	LED44	1 unit	1 pc	Distribution wide 50	Diffuser element	BGP760	-	-
910925863567	BGP760 LED49-/740 II DX70 DGR 62	LED49	1 unit	1 pc	Distribution extra wide 70	-	BGP760	-	-
910925864083	BGP760 LED24-/740 I DM10 DGR DDF27 D18 S	LED24	1 unit	-	Distribution medium 10	-	BGP760	-	-
910925864084	BGP760 LED44-/740 I DM10 DGR DDF27 D18 S	LED44	1 unit	-	Distribution medium 10	-	BGP760	-	-
910925866306	BGP760 LED16-/518 II DM11 DGR 62 S	LED16	1 unit	-	Distribution medium 11	Diffuser element	BGP760	Yes	-
910925866307	BGP760 LED16-/420 II DM11 DGR 62 S	LED16	1 unit	-	Distribution medium 11	-	BGP760	Yes	-
910925866495	BGP760 LED60-/740 I DM10 DGR 62 S	LED60	1 unit	-	Distribution medium 10	-	BGP760	Yes	-
910925867978	BGP760 LED60/740 I DX10 DGR CLO IACZ-4-D	LED60	1 unit	-	Distribution extra wide 10	-	BGP760	Yes	-
910925867979	BGP760 LED60/740 I DW50 BL1 DGR CLO IACZ	LED60	1 unit	-	Distribution wide 50	Prismatic diamond effect element	BGP760	Yes	-
910925867987	BGP760 LED49/740 II DM32 7042 MSP CLO-DD	LED49	1 unit	-	Distribution medium 32	-	BGP760	Yes	-
910925865604	BGP761 LED45-4S/518 II DM11 DGR 62	LED45	1 unit	-	Distribution medium 11	-	BGP761	Yes	-
910925865605	BGP761 LED45-4S/420 II DM11 DGR 62	LED45	1 unit	-	Distribution medium 11	-	BGP761	Yes	-
910925866230	BGP761 LED45-/740 I DM10 DGR 32-48	LED45	1 unit	-	Distribution medium 10	-	BGP761	-	-
910925866231	BGP761 LED74-/740 I DM50 DGR 32-48	LED74	1 unit	-	Distribution medium 50	-	BGP761	-	-
910925866232	BGP761 LED94-/740 I DX10 DGR 32-48	LED94	1 unit	-	Distribution extra wide 10	-	BGP761	-	-
910925866233	BGP761 LED109-/740 I DM10 DGR DDF27 D18	LED109	1 unit	-	Distribution medium 10	-	BGP761	-	-
910925866234	BGP761 LED55-/740 I DN10 DGR 32-48	LED55	1 unit	-	Distribution narrow 10	-	BGP761	-	-
910925866235	BGP761 LED84-/740 I DS50 DGR 32-48	LED84	1 unit	-	Distribution symmetrical 50	-	BGP761	-	-
910925866236	BGP761 LED55-/740 I DM11 DGR SRB 62	LED55	1 unit	-	Distribution medium 11	-	BGP761	-	-
910925866237	BGP761 LED84-/740 I DM10 DGR DDF27 D18 S	LED84	1 unit	-	Distribution medium 10	-	BGP761	-	-
910925866238	BGP761 LED50-/830 II DM11 DGR D9 62	LED50	1 unit	-	Distribution medium 11	-	BGP761	-	-
910925866239	BGP761 LED79-/830 II DM70 DGR DDF27 D18	LED79	1 unit	-	Distribution medium 70	-	BGP761	-	-
910925866240	BGP761 LED59-/830 II DN11 DGR D11 62	LED59	1 unit	-	Distribution narrow 11	-	BGP761	-	-
910925866241	BGP761 LED90-/740 II DW10 DGR 62	LED90	1 unit	-	Distribution wide 10	-	BGP761	-	-
910925866242	BGP761 LED74-/740 I DM50 DGR SRB 62	LED74	1 unit	-	Distribution medium 50	-	BGP761	-	-
910925866496	BGP761 LED84/740 I DM10 DGR 62 S	LED84	1 unit	-	Distribution medium 10	-	BGP761	Yes	-
910925866497	BGP761 LED119/740 I DM10 DGR 62 S	LED119	1 unit	-	Distribution medium 10	Diffuser element	BGP761	Yes	-
910925867981	BGP761 LED119/740 I DW50 BL1 DGR CLO IAC	LED119	1 unit	-	Distribution wide 50	-	BGP761	Yes	-
910925867988	BGP761 LED84/740 II DM32 7042 MSP CLO-DD	LED84	1 unit	-	Distribution medium 32	-	BGP761	Yes	-

Order Code	Full Product Name	Lamp family code	Number of gear units	Number of light sources	Optic type	Optical element	Product Family Code	Service tag	UL mark
910925865607	BGP762 LED95-4S/518 II DM11 DGR 62	LED95	1 unit	-	Distribution medium 11	-	BGP762	Yes	-
910925865608	BGP762 LED95-4S/420 II DM11 DGR 62	LED95	1 unit	-	Distribution medium 11	-	BGP762	Yes	-
910925866220	BGP762 LED120-/830 II DN11 DGR D11 76	LED120	1 unit	-	Distribution narrow 11	-	BGP762	-	-
910925866221	BGP762 LED159-/830 II DM70 DGR DDF27 D18	LED159	1 unit	-	Distribution medium 70	-	BGP762	-	-
910925866222	BGP762 LED129-/740 I DM11 DGR 32-48	LED129	1 unit	-	Distribution medium 11	-	BGP762	-	-
910925866223	BGP762 LED169-/740 I DS50 DGR 62	LED169	1 unit	-	Distribution symmetrical 50	-	BGP762	-	-
910925866224	BGP762 LED110-/740 I DN10 DGR 32-48	LED110	1 unit	-	Distribution narrow 10	-	BGP762	-	-
910925866225	BGP762 LED149-/740 I DM50 DGR 32-48	LED149	1 unit	-	Distribution medium 50	-	BGP762	-	-
910925866226	BGP762 LED180-/740 I DX10 DGR 32-48	LED180	1 unit	-	Distribution extra wide 10	-	BGP762	-	-
910925866227	BGP762 LED100-/830 II DM11 DGR D9 62	LED100	1 unit	-	Distribution medium 11	-	BGP762	-	-
910925866228	BGP762 LED139-/830 II DM11 DGR D9 62	LED139	1 unit	-	Distribution medium 11	-	BGP762	-	-
910925866229	BGP762 LED170-/830 II DW10 DGR 76	LED170	1 unit	-	Distribution wide 10	-	BGP762	-	-
910925866243	BGP762 LW10 LED95-/740 I DM10 DGR SRB 32	LED95	1 unit	-	Distribution medium 10	-	BGP762	-	-
910925866244	BGP762 LED169-/740 I DS50 DGR SRB 62	LED169	1 unit	-	Distribution symmetrical 50	-	BGP762	-	-
910925866245	BGP762 LED200-/740 I DW50 DGR 62	LED200	1 unit	-	Distribution wide 50	-	BGP762	-	-
910925866246	BGP762 LED210-/740 II DX70 DGR 76	LED210	1 unit	-	Distribution extra wide 70	-	BGP762	-	-
910925866247	BGP762 LED190-/740 II DW10 DGR SRG10 62	LED190	1 unit	-	Distribution wide 10	-	BGP762	-	-
910925866252	BGP762 LED220-/740 II DW10 DGR SRG10 62	LED220	1 unit	-	Distribution wide 10	-	BGP762	-	-
910925866492	BGP762 LED120/740 I DM10 DGR 62 S	LED120	1 unit	-	Distribution medium 10	-	BGP762	Yes	-
910925866493	BGP762 LED159/740 I DM10 DGR 62 S	LED159	1 unit	-	Distribution medium 10	-	BGP762	Yes	-
910925866963	BGP762 LED239/740 II DM32 7042 MSP CLO-D	LED239	1 unit	-	Distribution medium 32	-	BGP762	Yes	-
910925867851	BGP762 LED220/740 I DW50 DGR D9 62 S	LED220	1 unit	-	Distribution wide 50	-	BGP762	Yes	-
910925867982	BGP762 LED239/740 I DX10 DGR CLO IACZ-4-	LED239	1 unit	-	Distribution extra wide 10	-	BGP762	Yes	-
910925867983	BGP762 LED239/740 I DW50 BL1 DGR CLO IAC	LED239	1 unit	-	Distribution wide 50	-	BGP762	Yes	-
910925867989	BGP762 LED149/740 II DM32 7042 MSP CLO-D	LED149	1 unit	-	Distribution medium 32	-	BGP762	Yes	-
910925867990	BGP762 LED239/740 II DM32 7042 MSP CLO-D	LED239	1 unit	-	Distribution medium 32	-	BGP762	Yes	-
910925865611	BGP763 LED240-4S/420 II DM11 DGR 62	LED240	2 units	-	Distribution medium 11	-	BGP763	Yes	-
910925866248	BGP763 LED240-/830 II DW10 DGR SRG10 62	LED280	2 units	-	Distribution wide 10	-	BGP763	-	-
910925866249	BGP763 LED300-/740 I DW50 DGR 62	LED300	2 units	-	Distribution wide 50	-	BGP763	-	-
910925866250	BGP763 LED260-/740 I DX10 DGR 32-48	LED260	2 units	-	Distribution extra wide 10	-	BGP763	-	-
910925866251	BGP763 LED340-/740 II DW10 DGR SRG10 62	LED340	2 units	-	Distribution wide 10	-	BGP763	-	-
910925866253	BGP763 LED320-/740 II DX70 DGR 76	LED320	2 units	-	Distribution extra wide 70	-	BGP763	-	-

Order Code	Full Product Name	Lamp family code	Number of gear units	Number of light sources	Optic type	Optical element	Product Family Code	Service tag	UL mark
910925866494	BGP763 LED260/740 I DM10 DGR 62 S	LED260	2 units	-	Distribution medium 10	-	BGP763	Yes	-
910925866498	BGP763 LED360/740 I DM10 DGR 62 S	LED360	2 units	-	Distribution medium 10	-	BGP763	Yes	-
910925867852	BGP763 LED340/740 I DW50 DGR D9 62 S	LED340	2 units	-	Distribution medium 50	-	BGP763	Yes	-
910925867984	BGP763 LED360/740 I DX10 DGR CLO IACZ-4-	LED360	2 units	-	Distribution extra wide 10	-	BGP763	Yes	-
910925867985	BGP763 LED360/740 I DW50 BL1 DGR IACZ-4-	LED360	2 units	-	Distribution wide 50	-	BGP763	Yes	-

Initial performance (IEC compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
910925863554	BGP760 LED10-/740 I DM10 DGR 32-48	4000 K	70	900 lm
910925863555	BGP760 LED12-/830 II DM11 DGR D9 62	3000 K	80	1092 lm
910925863556	BGP760 LED14-/740 I DN10 DGR 32-48	4000 K	70	1274 lm
910925863557	BGP760 LED16-/830 II DN11 DGR D11 62	3000 K	80	1456 lm
910925863560	BGP760 LED22-/740 I DM50 DGR 32-48	4000 K	70	2002 lm
910925863561	BGP760 LED24-/830 II DM70 DGR DDF27 D18	3000 K	80	2136 lm
910925863562	BGP760 LED27-/740 I DS50 DGR 32-48	4000 K	70	2403 lm
910925863563	BGP760 LED30-/830 II DW10 DGR 62	3000 K	80	2730 lm
910925863564	BGP760 LED34-/740 I DX10 DGR 32-48	4000 K	70	2958 lm
910925863566	BGP760 LED44-/740 I DW50 DGR 32-48	4000 K	70	3784 lm
910925863567	BGP760 LED49-/740 II DX70 DGR 62	4000 K	70	4263 lm
910925864083	BGP760 LED24-/740 I DM10 DGR DDF27 D18 S	4000 K	70	2160 lm
910925864084	BGP760 LED44-/740 I DM10 DGR DDF27 D18 S	4000 K	70	3916 lm
910925866306	BGP760 LED16-/518 II DM11 DGR 62 S	1800 K	50	992 lm
910925866307	BGP760 LED16-/420 II DM11 DGR 62 S	2000 K	40	992 lm
910925866495	BGP760 LED60-/740 I DM10 DGR 62 S	4000 K	70	5340 lm
910925867978	BGP760 LED60/740 I DX10 DGR CLO IACZ-4-D	4000 K	70	4988 lm
910925867979	BGP760 LED60/740 I DW50 BL1 DGR CLO IACZ	4000 K	70	4988 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
910925867987	BGP760 LED49/740 II DM32 7042 MSP CLO-DD	4000 K	70	4368 lm
910925865604	BGP761 LED45-4S/518 II DM11 DGR 62	1800 K	50	2790 lm
910925865605	BGP761 LED45-4S/420 II DM11 DGR 62	2000 K	40	2790 lm
910925866230	BGP761 LED45-/740 I DM10 DGR 32-48	4000 K	70	4050 lm
910925866231	BGP761 LED74-/740 I DM50 DGR 32-48	4000 K	70	6660 lm
910925866232	BGP761 LED94-/740 I DX10 DGR 32-48	4000 K	70	8084 lm
910925866233	BGP761 LED109-/740 I DM10 DGR DDF27 D18	4000 K	70	9790 lm
910925866234	BGP761 LED55-/740 I DN10 DGR 32-48	4000 K	70	5096 lm
910925866235	BGP761 LED84-/740 I DS50 DGR 32-48	4000 K	70	7392 lm
910925866236	BGP761 LED55-/740 I DM11 DGR SRB 62	4000 K	70	5096 lm
910925866237	BGP761 LED84-/740 I DM10 DGR DDF27 D18 S	4000 K	70	7476 lm
910925866238	BGP761 LED50-/830 II DM11 DGR D9 62	3000 K	80	4550 lm
910925866239	BGP761 LED79-/830 II DM70 DGR DDF27 D18	3000 K	80	7040 lm
910925866240	BGP761 LED59-/830 II DN11 DGR D11 62	3000 K	80	5400 lm
910925866241	BGP761 LED90-/740 II DW10 DGR 62	4000 K	70	8100 lm
910925866242	BGP761 LED74-/740 I DM50 DGR SRB 62	4000 K	70	6660 lm
910925866496	BGP761 LED84/740 I DM10 DGR 62 S	4000 K	70	7476 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
910925866497	BGP761 LED119/740 I DM10 DGR 62 S	4000 K	70	10680 lm
910925867981	BGP761 LED119/740 I DW50 BL1 DGR CLO IAC	4000 K	70	9775 lm
910925867988	BGP761 LED84/740 II DM32 7042 MSP CLO-DD	4000 K	70	7462 lm
910925865607	BGP762 LED95-4S/518 II DM11 DGR 62	1800 K	50	5952 lm
910925865608	BGP762 LED95-4S/420 II DM11 DGR 62	2000 K	40	5952 lm
910925866220	BGP762 LED120-/830 II DN11 DGR D11 76	3000 K	80	10800 lm
910925866221	BGP762 LED159-/830 II DM70 DGR DDF27 D18	3000 K	80	13920 lm
910925866222	BGP762 LED129-/740 I DM11 DGR 32-48	4000 K	70	11700 lm
910925866223	BGP762 LED169-/740 I DS50 DGR 62	4000 K	70	14790 lm
910925866224	BGP762 LED110-/740 I DN10 DGR 32-48	4000 K	70	10010 lm
910925866225	BGP762 LED149-/740 I DM50 DGR 32-48	4000 K	70	13500 lm
910925866226	BGP762 LED180-/740 I DX10 DGR 32-48	4000 K	70	15480 lm
910925866227	BGP762 LED100-/830 II DM11 DGR D9 62	3000 K	80	9000 lm
910925866228	BGP762 LED139-/830 II DM11 DGR D9 62	3000 K	80	12600 lm
910925866229	BGP762 LED170-/830 II DW10 DGR 76	3000 K	80	15130 lm
910925866243	BGP762 LW10 LED95-/740 I DM10 DGR SRB 32	4000 K	70	8640 lm
910925866244	BGP762 LED169-/740 I DS50 DGR SRB 62	4000 K	70	14790 lm
910925866245	BGP762 LED200-/740 I DW50 DGR 62	4000 K	70	17200 lm
910925866246	BGP762 LED210-/740 II DX70 DGR 76	4000 K	70	18060 lm
910925866247	BGP762 LED190-/740 II DW10 DGR SRG10 62	4000 K	70	17100 lm
910925866252	BGP762 LED220-/740 II DW10 DGR SRG10 62	4000 K	70	19580 lm
910925866492	BGP762 LED120/740 I DM10 DGR 62 S	4000 K	70	10800 lm
910925866493	BGP762 LED159/740 I DM10 DGR 62 S	4000 K	70	14240 lm
910925866963	BGP762 LED239/740 II DM32 7042 MSP CLO-D	4000 K	70	20700 lm
910925867851	BGP762 LED220/740 I DW50 DGR D9 62 S	4000 K	70	18700 lm
910925867982	BGP762 LED239/740 I DX10 DGR CLO IACZ-4-	4000 K	70	19550 lm
910925867983	BGP762 LED239/740 I DW50 BL1 DGR CLO IAC	4000 K	70	19550 lm
910925867989	BGP762 LED149/740 II DM32 7042 MSP CLO-D	4000 K	70	13195 lm
910925867990	BGP762 LED239/740 II DM32 7042 MSP CLO-D	4000 K	70	20700 lm
910925865611	BGP763 LED240-4S/420 II DM11 DGR 62	2000 K	40	14400 lm
910925866248	BGP763 LED240-/830 II DW10 DGR SRG10 62	3000 K	80	24360 lm
910925866249	BGP763 LED300-/740 I DW50 DGR 62	4000 K	70	25200 lm
910925866250	BGP763 LED260-/740 I DX10 DGR 32-48	4000 K	70	22100 lm
910925866251	BGP763 LED340-/740 II DW10 DGR SRG10 62	4000 K	70	29580 lm
910925866253	BGP763 LED320-/740 II DX70 DGR 76	4000 K	70	26880 lm
910925866494	BGP763 LED260/740 I DM10 DGR 62 S	4000 K	70	23140 lm
910925866498	BGP763 LED360/740 I DM10 DGR 62 S	4000 K	70	31320 lm
910925867852	BGP763 LED340/740 I DW50 DGR D9 62 S	4000 K	70	29580 lm
910925867984	BGP763 LED360/740 I DX10 DGR CLO IACZ-4-	4000 K	70	28560 lm
910925867985	BGP763 LED360/740 I DW50 BL1 DGR IACZ-4-	4000 K	70	28560 lm

Mechanical and housing

Order Code	Full Product Name	Color
910925863554	BGP760 LED10-/740 I DM10 DGR 32-48	Dark gray
910925863555	BGP760 LED12-/830 II DM11 DGR D9 62	Dark gray
910925863556	BGP760 LED14-/740 I DN10 DGR 32-48	Dark gray
910925863557	BGP760 LED16-/830 II DN11 DGR D11 62	Dark gray
910925863560	BGP760 LED22-/740 I DM50 DGR 32-48	Dark gray
910925863561	BGP760 LED24-/830 II DM70 DGR DDF27 D18	Dark gray
910925863562	BGP760 LED27-/740 I DS50 DGR 32-48	Dark gray
910925863563	BGP760 LED30-/830 II DW10 DGR 62	Dark gray

Order Code	Full Product Name	Color
910925863564	BGP760 LED34-/740 I DX10 DGR 32-48	Dark gray
910925863566	BGP760 LED44-/740 I DW50 DGR 32-48	Dark gray
910925863567	BGP760 LED49-/740 II DX70 DGR 62	Dark gray
910925864083	BGP760 LED24-/740 I DM10 DGR DDF27 D18 S	Dark gray
910925864084	BGP760 LED44-/740 I DM10 DGR DDF27 D18 S	Dark gray
910925866306	BGP760 LED16-/518 II DM11 DGR 62 S	Dark gray
910925866307	BGP760 LED16-/420 II DM11 DGR 62 S	Dark gray
910925866495	BGP760 LED60-/740 I DM10 DGR 62 S	Dark gray
910925867978	BGP760 LED60/740 I DX10 DGR CLO IACZ-4-D	Dark gray
910925867979	BGP760 LED60/740 I DW50 BL1 DGR CLO IACZ	Dark gray
910925867987	BGP760 LED49/740 II DM32 7042 MSP CLO-DD	Gray
910925865604	BGP761 LED45-4S/518 II DM11 DGR 62	Dark gray
910925865605	BGP761 LED45-4S/420 II DM11 DGR 62	Dark gray
910925866230	BGP761 LED45-/740 I DM10 DGR 32-48	Dark gray
910925866231	BGP761 LED74-/740 I DM50 DGR 32-48	Dark gray
910925866232	BGP761 LED94-/740 I DX10 DGR 32-48	Dark gray
910925866233	BGP761 LED109-/740 I DM10 DGR DDF27 D18	Dark gray
910925866234	BGP761 LED55-/740 I DN10 DGR 32-48	Dark gray
910925866235	BGP761 LED84-/740 I DS50 DGR 32-48	Dark gray
910925866236	BGP761 LED55-/740 I DM11 DGR SRB 62	Dark gray
910925866237	BGP761 LED84-/740 I DM10 DGR DDF27 D18 S	Dark gray
910925866238	BGP761 LED50-/830 II DM11 DGR D9 62	Dark gray
910925866239	BGP761 LED79-/830 II DM70 DGR DDF27 D18	Dark gray
910925866240	BGP761 LED59-/830 II DN11 DGR D11 62	Dark gray
910925866241	BGP761 LED90-/740 II DW10 DGR 62	Dark gray
910925866242	BGP761 LED74-/740 I DM50 DGR SRB 62	Dark gray
910925866496	BGP761 LED84/740 I DM10 DGR 62 S	Dark gray
910925866497	BGP761 LED119/740 I DM10 DGR 62 S	Dark gray
910925867981	BGP761 LED119/740 I DW50 BL1 DGR CLO IAC	Dark gray
910925867988	BGP761 LED84/740 II DM32 7042 MSP CLO-DD	Gray
910925865607	BGP762 LED95-4S/518 II DM11 DGR 62	Dark gray
910925865608	BGP762 LED95-4S/420 II DM11 DGR 62	Dark gray
910925866220	BGP762 LED120-/830 II DN11 DGR D11 76	Dark gray
910925866221	BGP762 LED159-/830 II DM70 DGR DDF27 D18	Dark gray

Order Code	Full Product Name	Color
910925866222	BGP762 LED129-/740 I DM11 DGR 32-48	Dark gray
910925866223	BGP762 LED169-/740 I DS50 DGR 62	Dark gray
910925866224	BGP762 LED110-/740 I DN10 DGR 32-48	Dark gray
910925866225	BGP762 LED149-/740 I DM50 DGR 32-48	Dark gray
910925866226	BGP762 LED180-/740 I DX10 DGR 32-48	Dark gray
910925866227	BGP762 LED100-/830 II DM11 DGR D9 62	Dark gray
910925866228	BGP762 LED139-/830 II DM11 DGR D9 62	Dark gray
910925866229	BGP762 LED170-/830 II DW10 DGR 76	Dark gray
910925866243	BGP762 LW10 LED95-/740 I DM10 DGR SRB 32	Dark gray
910925866244	BGP762 LED169-/740 I DS50 DGR SRB 62	Dark gray
910925866245	BGP762 LED200-/740 I DW50 DGR 62	Dark gray
910925866246	BGP762 LED210-/740 II DX70 DGR 76	Dark gray
910925866247	BGP762 LED190-/740 II DW10 DGR SRG10 62	Dark gray
910925866252	BGP762 LED220-/740 II DW10 DGR SRG10 62	Dark gray
910925866492	BGP762 LED120/740 I DM10 DGR 62 S	Dark gray
910925866493	BGP762 LED159/740 I DM10 DGR 62 S	Dark gray
910925866963	BGP762 LED239/740 II DM32 7042 MSP CLO-D	Gray
910925867851	BGP762 LED220/740 I DW50 DGR D9 62 S	Dark gray
910925867982	BGP762 LED239/740 I DX10 DGR CLO IACZ-4-	Dark gray
910925867983	BGP762 LED239/740 I DW50 BL1 DGR CLO IAC	Dark gray
910925867989	BGP762 LED149/740 II DM32 7042 MSP CLO-D	Gray
910925867990	BGP762 LED239/740 II DM32 7042 MSP CLO-D	Gray
910925865611	BGP763 LED240-4S/420 II DM11 DGR 62	Dark gray
910925866248	BGP763 LED240-/830 II DW10 DGR SRG10 62	Dark gray
910925866249	BGP763 LED300-/740 I DW50 DGR 62	Dark gray
910925866250	BGP763 LED260-/740 I DX10 DGR 32-48	Dark gray
910925866251	BGP763 LED340-/740 II DW10 DGR SRG10 62	Dark gray
910925866253	BGP763 LED320-/740 II DX70 DGR 76	Dark gray
910925866494	BGP763 LED260/740 I DM10 DGR 62 S	Dark gray
910925866498	BGP763 LED360/740 I DM10 DGR 62 S	Dark gray
910925867852	BGP763 LED340/740 I DW50 DGR D9 62 S	Dark gray
910925867984	BGP763 LED360/740 I DX10 DGR CLO IACZ-4-	Dark gray
910925867985	BGP763 LED360/740 I DW50 BL1 DGR IACZ-4-	Dark gray

© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.